



Model: WR300

N300

Wi-Fi Router



Router/AP/RE/WISP Multi-Mode




5 dBi Antennas



IPv6/IPv4, IPTV/VLAN




[Datasheet](#)



Decent Wired and Wireless Home Network

Enjoy ample wired port selection to connect your console, PC, and TV, thanks to 1× WAN and 3× LAN Fast Ethernet ports. With two 5-dBi antennas and 2×2 MIMO technology, WR300 provides 2-stream fast Wi-Fi for smooth video streaming and downloading, suitable for small and medium houses.



5-in-1 Multi Mode with Add-On Mesh

5 working modes all in one compact-sized router serve different SOHO networking scenarios. When paired with a Mesh router/unit via Ethernet cable or wireless, WR300 functions as a Mesh satellite to enable fast roaming, allowing you to move between Wi-Fi zones without manually switching the networks.



Powerful VPN Client

Equipped with VPN client in four popular protocols, allowing you to share VPN with the whole family by just setting it up once. Or assign a VPN to specific devices for access control and less interruption to other devices. WireGuard is recommended for its speed and security performance.



Protect Privacy with DNS Encryption

DNS over TLS encrypts your DNS lookup request to prevent your browsing record from being recognized by your ISP hence they can not manipulate or sell your information to the online ads operator. The encryption also protects your privacy from stalking by hackers, improving online security.



Versatile Network Management

Assign an online time for specific devices in the device management panel to regulate online behavior. The Domain Filter and IP filter allow you to block inappropriate website access for your family members, giving you peace of mind when setting up a network for your loved ones.



Highlights

- 5-in-1 with Mesh satellite multi-mode caters to different-scenario needs
- Decent home networking with four ethernet ports and two antennas
- 2×2 MIMO provides two data streams to your phone, laptop, and tablet for smooth video streaming and downloading
- VPN client in four popular protocols allows you share VPN with family
- DNS over TLS feature protects your browsing record from stalking
- Wi-Fi Schedule, Domain/IP Filter help regulate the online behaviour

Hardware

Processor	580 MHz CPU
Flash	64 Mbit (8 MB)
DDR	512 Mbit (64 MB)
Antennas	2× Fixed Omni-Directional Antennas
Interfaces	1× 10/100 Mbps WAN Port
	3× 10/100 Mbps LAN Ports
Buttons	WPS Button, Reset Button
External Power Supply	12 V / 1 A
Dimension (W×D×H)	118×80×27.5 mm (4.65×3.15×1.08 inches)

Wireless

Wireless Standards	IEEE 802.11n/b/g 2.4 GHz
Frequency	2.4 GHz
Signal Rate	300 Mbps (2.4 GHz)
	Compatible with 802.11b/g/n Wi-Fi standards
Transmit Power	CE: <20 dBm (2.4 GHz)
	FCC: <30 dBm (2.4 GHz)
Wireless Modes	Enable/Disable Wireless Radio, WMM
Wireless Security	WPA-PSK, WPA2-PSK, WPA-PSK/WPA2-PSK



Software

WAN Type	Dynamic IP/Static IP/PPPoE
DHCP	Server, DHCP Client List, Address Reservation
Guest Network	2.4 GHz Guest Network × 1
NAT	Port Forwarding, Port Triggering, UPnP, DMZ
Working Modes	Router/AP/RE/WISP/Mesh Satellite
CWMP Protocols	TR069 / TR098 / TR111 / TR181
ACS Server Compatibility	GenieACS, OpenACS
Management	Access Control, Local Management, Remote Management, Wake on LAN
TTL	Extend/Spoof/Custom
DNS	Cloudflare*/Google*/Quad9*/ Custom
VPN Client	WireGuard/OpenVPN/L2TP/PPTP
VLAN	Tag VLAN / IPTV
Internet Protocols	IPv4 / IPv6
IPv6	Relay Dynamic (SLAAC/DHCPv6) Static (Fixed IP) Passthrough MAP-E (Dual-stack) DS-Lite (Dual-stack)

* To be decided

Others

Package	Wi-Fi Router
Contents	Power Adapter RJ45 Ethernet Cable Quick Installation Guide
Environmental Requirements	Operating Temperature: 0 °C ~ 40 °C (32 °F ~104 °F) Storage Temperature: -40 °C ~ 70 °C (-40 °F ~ 158 °F) Operating Humidity: 10% ~ 90% non-condensing Storage Humidity: 5% ~ 90% non-condensing
System Requirements	Windows, macOS, Android, iOS, or other OS with networking capability Firefox, Chrome, Safari, Edge, or other up-to-date web browsers Cable/DSL/ONT modem or other internet source devices Internet subscription with ISP or carriers